



Product Name	AS/NZS Classification	AWS/ASME-SFA Classification	Page No.
Alloycraft 110	1553.2: E7618-M	A5.5: E11018M H4R	193
Alloycraft 80-B2	1553.2: E5518-B2	A5.5: E8018-B2 H4R	192
Alloycraft 80-C1	1553.2: E5518-C1	A5.5: E8018-C1 H4R	192
Alloycraft 90	1553.2: E6218-M	A5.5: E9018M H4R	193
Alloycraft 90-B3	1553.2: E6218-B3	A5.5: E9018-B3 H4R	192
Arcair DC Carbons	-	-	198
Autocraft 308LSi	2717.3: E5308LSi	A5.9: ER308LSi	210
Autocraft 309LSi	2717.3: E5309LSi	A5.9: ER309LSi	211
Autocraft 316LSi	2717.3: E5316LSi	A5.9: ER316LSi	211
Autocraft AL1100 (Pure)	2717.2: E1100	A5.10: ER1100	211
Autocraft AL4043 (5% Sil)	2717.2: E4043	A5.10: ER4043	212
Autocraft AL5183	2717.2: E5183	A5.10: ER5183	213
Autocraft AL5356 (5% Mag)	2717.2: E5356	A5.10: ER5356	212
Autocraft CrMo1	2717.1: E5B2-GM-W559AH	A5.28: ER80S-B2	210
Autocraft Deoxidised Copper	-	A5.7: ERCu	213
Autocraft LW1	2717.1: E54-GC/M-W503AH	A5.18: ER70S-4	209
Autocraft LW1-6	2717.1: E56-GC/M-W503AH	A5.18: ER70S-6	208
Autocraft Mn-Mo	2717.1: E5D2-GM-W559AH	A5.28: ER80S-D2	209
Autocraft NiCrMo	2717.1: E5MG-GM-W769AH	A5.28: ER110S-G	210
Autocraft SA2	1858.1: EM12K	A5.17: EM12K	228
Autocraft Silicon Bronze	-	A5.7: ERCuSi-A	213
Autocraft Super Steel	2717.1: E52-GM-W503AH	A5.18: ER70S-2	209
Bronzecraft AC-DC	2567: E6200-A2	A5.6: CuSn-C	197
Castcraft 100	-	A5.15: ENi-Cl	197
Castcraft 55	-	A5.15: ENiFe-Cl	197
Chrome Bright (Pickling Paste)	-	-	242
Cobalarc 350	2576: 1435-A4	-	200
Cobalarc 4	2576: 3460-A1	-	202
Cobalarc 650	2576: 1855-A4	-	201
Cobalarc 750	2576: 1860-A4	-	201
Cobalarc 9	2576: 2460-A1	-	203
Cobalarc Austex	2576: 1315-A4	-	200
Cobalarc Borochrome	2576: 2560-A4	-	202
Cobalarc CR70	2576: 2355-A4	-	202
Cobalarc Mangcraft	2576: 1215-A4	-	200
Cobalarc Toolcraft	2576: 1560-A4	-	201
Comweld 308L Stainless Steel	1167.2: R308L	A5.9: ER308L	232
Comweld 309L Stainless Steel	1167.2: R309L	A5.9: ER309L	232
Comweld 316L Stainless Steel	1167.2: R316L	A5.9: ER316L	233
Comweld 40/60 Soft Solder	1834.1: 40Sn	-	238
Comweld 50/50 Soft Solder	1834.1: 50Sn	-	238
Comweld 965 Solder	1834.1: 96.5Sn / 3.5Ag	-	238
Comweld 965 Soldering Flux	-	-	241
Comweld 1100 (Pure)	1167.2: R1188	A5.10: R1188	234
Comweld AL4043 (5% Sil.)	1167.2: R4043	A5.10: R4043	234
Comweld AL4047 (10% Sil.)	1167.2: R4047	A5.10: R4047	234
Comweld AL5356 (5% Mag.)	1167.2: R5356	A5.10: R5356	235
Comweld Aluminium Flux	-	-	239
Comweld Comcoat C	1167.1 & 2: RCuZn-C	A5.8 & 27: RBCuZn-C	237
Comweld Comcoat N	1167.1 & 2: RCuZn-D	A5.8 & 27: RBCuZn-D	237
Comweld Comcoat T	1167.1 & 2: RCuZn-A	A5.8 & 27: RBCuZn-A	237
Comweld Copper and Brass Flux	-	-	240
Comweld CrMo2	1167.2: RB3	A5.28: ER90S-B3	232
Comweld CrMo1	1167.2: RB2	A5.28: ER80S-B2	231
Comweld G.P. Cast Iron Rod	1167.2: RC11	-	235
Comweld G.P. Silver Brazing Flux	-	-	240
Comweld Galvanising Bar	-	-	233
Comweld High Test	1167.2: R1	A5.2: R60	230
Comweld LW1	1167.2: R4	A5.18: ER70S-4	230
Comweld LW1-6	1167.2: R6	A5.18: ER70S-6	231
Comweld Manganese Bronze Rod	1167.1 & 2: RCuZn-C	A5.8 & 27: RBCuZn-C	236
Comweld Metal Mate Solder Kit	1834.1: 96.5Sn / 3.5Ag	-	239
Comweld Mild Steel	1167.2: RG	A5.2: R45	230
Comweld Nickel Bronze Rod	1167.1 & 2: RCuZn-D	A5.8 & 27: RBCuZn-D	236
Comweld Silicon Bronze Rod (801)	1167.2: RCuSi-A	A5.7: RCuSi-A	235
Comweld Silver Brazing Flux No. 2	-	-	240
Comweld Super Steel	1167.2: R2	A5.18: ER70S-2	231
Comweld Tobin Bronze Rod	1167.1 & 2: RCuZn-A	A5.8 & 27: RBCuZn-A	236
Comweld VAPAFUX	-	-	241

Product Name	AS/NZS Classification	AWS/ASME-SFA Classification	Page No.
Ferrocrafter 11	1553.1: E4111-2	A5.1: E6011	185
Ferrocrafter 12XP	1553.1: E4112-0	A5.1: E6013	186
Ferrocrafter 16TXP	1553.1: E4816-2 H10	A5.1: E7016 H8	189
Ferrocrafter 18-Ni	1553.2: E4818-G	A5.5: E7018-G	191
Ferrocrafter 21	1553.1: E4814-2	A5.1: E7014	188
Ferrocrafter 22	1553.1: E4824-2	A5.1: E7024	188
Ferrocrafter 55U	1553.1: E4816-2 H10	A5.1: E7016 H8	190
Ferrocrafter 61	1553.1: E4818-3 H10	A5.1: E7018	191
Ferrocrafter 7016	1553.1: E4816-3 H10	A5.1: E7016H8	190
GP 6012	1553.1: E4112-0	A5.1: E6013	186
Metal-Cor XP (*1.2mm only)	2203.1: *ETP-GMn/p-W503A. CM1 H5	A5.18: E70C-6M	222
	2203.1: ETD-GMn/p-W503A. CM1 H5	A5.18: E70C-6M	222
Murex Speedex 12	1553.1: E4112-0	A5.1: E6013	186
Murex Speedex 13	1553.1: E4113-0	A5.1: E6013	187
Murex Speedex 16	1553.1: E411 6-0	A5.1: E6013	190
Murex Speedex 308L-16	1553.3: E308L-16	A5.4: E308L-16	194
Murex Speedex 309L-16	1553.3: E309L-16	A5.4: E309L-16	195
Murex Speedex 312-16	1553.3: E312-16	A5.4: E312-16	196
Murex Speedex 316L-16	1553.3: E316L-16	A5.4: E316L-16	195
Nicore 55	equivalent electrode classification *	A5.15: ENiFe-Cl	223
PipeArc 6010P	1553.1: E4110-2	A5.1: E6010	185
Satinarc 4 with Autocraft SA2	1858.1: EM12K-FMM-W503A	A5.17: F7A4-EM12K	228
	-	A5.17: F6P4-EM12K	228
Satin-Cor HD70	2203.1: ETD-GCp-W502A. CM1 H10	A5.20: E70T-1 H8	215
	2203.1: ETD-GMp-W502A. CM1 H10	A5.20: E70T-1M H8	215
Satin-Cor XP	2203.1: ETD-GCp-W502A. CM1 H10	A5.20: E70T-1 H8	215
Satincraft 13	1553.1: E4113-0	A5.1: E6013	187
Satinchrome 308L-17	1553.3: E308L-17	A5.4: E308L-17	194
Satinchrome 309Mo-17	1553.3: E309Mo-17	A5.4: E309Mo-17	194
Satinchrome 316L-17	1553.3: E316L-17	A5.4: E316L-17	195
Satinchrome 318-17	1553.3: E318-17	A5.4: E318-17	196
Shield-Cor 11	2203.1: ETP-GNn-W500A. CM2	A5.20: E71T-11	224
Shield-Cor 15	2203.1: ETPS-GNn-W500A. CM2	A5.20: E71T-GS	224
Shield-Cor 4XP	2203.1: ETD-GNp-W500A. CM2 H15	A5.20: E70T-4	223
Shieldcrome 308LT	-	A5.22: E308LT1-1	225
	-	A5.22: E308LT1-4	225
Shieldcrome 309LT	-	A5.22: E309LT1-1	225
	-	A5.22: E309LT1-4	225
Shieldcrome 309LTD	-	A5.22: E309LT0-1	225
	-	A5.22: E309LT0-4	225
Shieldcrome 316LT	-	A5.22: E316LT1-1	226
	-	A5.22: E316LT1-4	226
Stoody 101 HC-G/O	2576: 2360-B5/B7	-	207
Stoody 101 HC-O	2576: 2360-B7	-	207
Stoody 850-O	2576: 1865-B7	-	206
Stoody 965-G/O	2576: 1855-B5/B7	-	206
Stoody Dynamang-O	2576: 1215-B7	-	205
Stoody Finelad-O	2576: 2565-B7	-	207
Stoody SOS 308L	2576: 1315-B7	A5.22: E308LT0-3	227
Stoody SOS 309L	2576: 1315-B7	A5.22: E309LT0-3	227
Stoody Super Buildup-G/O	2576: 1435-B5/B7	-	205
Supre-Cor 5	2203.1: ETP-GCn/p-W505A. CM1 H5	A5.20: E71T-5 H4	221
	2203.1: ETP-GMn/p-W505A. CM1 H5	A5.20: E71T-5M H4	221
Supre-Cor XP	2203.1: ETD-GCn/p-W503A. CM1 H5	A5.20: E70T-5 H4	221
	2203.1: ETD-GMn/p-W503A. CM1 H5	A5.20: E70T-5M H4	221
Tensi-Cor 110T XP	2203.1: ETD-GCp-W769A. K4 H5	A5.29: E110T5-K4	222
Verti-Cor 3XP	2203.1: ETP-GCp-W503A. CM1 H10	A5.20: E71T-1 H8	217
	2203.1: ETP-GMp-W503A. CM1 H10	A5.20: E71T-12M H8	217
Verti-Cor 3XP H4	2205.1: ETP-GMp-W503A. CM1 H4	A5.20: E71T-1 H4	218
Verti-Cor 80Ni 1	2203.1: ETP-GMp-W554A. Ni1 H10	A5.29: E81T1-Ni1	219
Verti-Cor 91 K2	2203.1: ETP-GMp-W629A. K2 H10	A5.29: E91T1-K2	220
Verti-Cor 111 K3	2203.1: ETP-GMp-W768A. K3 H10	A5.29: E111T1-K3M H8	220
Verti-Cor Ultra	2203.1: ETP-GCp-W502A. CM1 H10	A5.20: E71T-1 H8	216
Verti-Cor Ultra 3	2203.1: ETP-GCp-W503A. CM1 H10	A5.20: E71T-1 H8	219
	-	A5.20: E71T-12 H8	219
Verti-Cor Ultra H4	2203.1: ETP-GCp-W502A. CM1 H4	A5.20: E71T-1 H4	216
Weldall	1553.3: E312-17	A5.4: E312-17	196
Weldcraft	1553.1: E4113-2	A5.1: E6013	187