

1

FP200 WELDING SYSTEM

The FP200 dual-purpose MIG Welder includes all the features required by the professional welder, including a seven position welding power output control, adjustable burn back and soft arc control and infinite wire speed control.

The unit welds up to 1/2" mild steel, and also provides excellent aluminum capabilities with the optional spool gun.

The unit is ruggedly designed to withstand frequent use and heavy duty applications, and also comes with a handle and wheels for easy movement throughout the shop.

Comes Complete With

- Genuine Firepower® argon regulator
- 10 ft. Helvi® style MIG gun
- 10 ft. ground cable and work clamp
- 10 ft. power cord (without plug)
- Welding nozzle and tip
- Spool of .035 MIG welding wire
- Instruction manual (English, French, Spanish)

Features

- Welds 22 gauge to 1/2" mild steel in a single pass
- Excellent aluminum capabilities (with optional spool gun)
- Euro style easy connect MIG gun system
- Spool gun ready
- Heavy duty gear driven wire feed system
- Seven position welding power output control
- Spot weld timer
- Adjustable burn back control
- Adjustable soft arc control
- Infinite wire speed control
- Heavy duty braking system
- Built-in cylinder rack and running gear
- Illuminated power indicator
- Illuminated thermal over load warning indicator
- 2 lb., 10 lb., 30 lb. wire spool capacity
- Thermostatic overload protection
- 5-2-1 Warranty



Firepower's semi-automatic spool gun

is designed to be used with either FP200 or FP260.

Features

- 200 amp, 60% duty cycle
- Compact design maximizes operator control and reduces hand and arm fatigue
- Gun mounted potentiometer allows the user to weld and control wire speed with one hand operation

Comes Complete With

- 20 ft. quick connect cable system
- Spool gun
- MIG gun nozzle
- Contact Tips (Tweco®)
- Designed to work with Firepower® products



Part #	DESCRIPTION
1444-0408	Semi-automatic spool gun

Part No. 1444-0310



Input Voltage	Input Amps	Welding Output Voltage	Maximum Output Amps	Open Circuit Voltage	Rated Output Duty Cycle	Maximum Weld Capacity	Output Power Settings	Wire Speed Adjust.	Wire Size Capacity	Dimensions	Weight
230V 60 HZ	25	21.7	210	40	155 A @ 60%	1/2"	7	Infinite	.023" .030" .035" .040" .045"	H: 31" (785mm) W: 19-1/2" (488mm) D: 33" (840mm)	173 lbs. (23.5kg)